


| | | | |
|---|-----------------|------------|-------|
|  STICKER, E12, FCC | DOCUMENT NUMBER | REV: | |
| | 114-001652-000 | C-0 | |
| | AUTHOR | DATE | PAGES |
| | ERIC IBARRA | 05/12/2017 | 1 |

- Label shall be printed on a Brady label, part number THT-17-489-3 (or equivalent UL 969 PGJ12 label), which is 2 inches wide by 1 inch tall.
- Label shall be organized in the fashion shown in Figure 1 and with similar font (Ariel)
 - Note the first field (A's) is "SC012-010" (do not include the quotation marks)
 - Note the second field (F's) is "SC012" (do not include the quotation marks)

P/N: AAAAAAAAAAAAAAAAAAAAAA
MODEL: FFFFFFFFFFFFFFFFFFFFFF
ETH MAC: CCCCCCCCCC
SNAP MAC: DDDDDDDDDDDDDDDDD
DC: BBBB

QR code

FCC

2.4GHz
This device complies with Part 15 of the FCC Rules.
Refer to the user's manual for details.
Contains FCC ID: U9O-RF220SU
Contains IC: 7084A-RF220SU

Figure 1

- Information in the QR code is defined in Synapse QR Code Format Standard Document, 801-000012-000, Format Type #04.
- Information in the Date Code (DC) field, unless otherwise stated in the applicable products SPD, conforms to the Synapse Manufacturing Date Code Format.